

HALOSTAR OVEN 10 W 12 V G4

Kod produktu: 55784



Dane techniczne:

- Construction wattage [PICOS] **10.00 W**
- Nominal wattage **10.00 W**
- Nominal luminous flux **140 lm**
- Rated luminous flux **140 lm**
- Order reference **64418 10W 12V G**
- ILCOS **HSGT/C/UB-10-12-G4-10/21,5**
- Light center length (LCL) **21.5 mm**
- Nominal voltage **12 V**
- Power factor λ **1.00**
- Color temperature **2800 K**
- Light color as per EN 12464-1 **Warm White**
- Color rendering index Ra **100**
- Starting time **0.0 s**
- Overall length **31.0 mm**
- Diameter **10.0 mm**
- Length **33.0 mm**
- Outer bulb **T10**
- Nominal lamp life time **2000 h**
- Rated lamp life time **2000 h**
- Number of switching cycles **50000**
- Lumen main.fact.at end of nom.life time **0.80**
- Base (standard designation) **G4**
- Mercury-free **Yes**
- Lamp mercury content **0.0 mg**
- Product remark **Lamp suitable for oven with high temperature self cleaning (Lamps must be switched off! Max. ambient temperature 450 °C)/For use in shielded luminaires only**
- Dimmable **Yes**
- Burning position **Any**
- Energy efficiency class **C**

Product benefits

- Two to three times the luminous efficiency of conventional oven lighting
- Optimum halogen content for high temperatures
- Tempered pins for reliable contact at high temperatures
- Suitable for pyrolysis (permissible ambient temperature 450 °C)
- Contains no mercury

Areas of application

- Baking ovens



