

# L 18 W/67

Kod produktu: 56212



## Dane techniczne:

- Construction wattage [PICOS] **18.00 W**
- Nominal wattage **18.00 W**
- Light color as per EN 12464-1 **Blue**
- Length **590.0 mm**
- Nominal lamp life time **20000 h**
- Rated lamp life time **20000 h**
- Energy efficiency class **C**
- Energy consumption **24 kWh/1000h**
- Light color **67**
- Luminous flux at 25 °C **400 lm**
- Length with base excl. base pins/connection **590.00 mm**
- Rated lamp efficacy (HF data 25 °C) **Under clarification by authority and standardization body**
- Diameter **26.0 mm**
- Tube diameter **26 mm**
- Lifespan **20000 h**
- Service life **18000 h**
- Base (standard designation) **G13**
- Appropriate disposal acc. to WEEE **Yes**
- Lamp mercury content **2.5 mg**

## Product benefits

- Ideal for cost-effective creative illumination and decoration
- Uniform light along the entire length of the lamp

## Areas of application

- Decorative applications
- Shops
- Supermarkets and department stores
- Restaurants
- Hotels
- Accent lighting

## Product features




- Average lifetime: 20,000 h with preheat ECG
- Dimmable

### Safety advice

In case of lamp breakage: [www.osram.com/brokenlamp](http://www.osram.com/brokenlamp)

### System guarantee

OSRAM System+ Guarantee in combination with OSRAM ECGs



G13  
IEC 7004-51  
DIN 49653 T1

