

Emergency Lighting 8 W/640

Kod produktu: 56310



Dane techniczne:

- Construction wattage [PICOS] **8.00 W**
- Nominal wattage **8.00 W**
- Rated lamp efficacy (HF data 25 °C) **Under clarification by authority and standardization body**
- Rated wattage **6.00 W**
- Light color as per EN 12464-1 **Cold White**
- Light color **640**
- Luminous flux at 25 °C **385 lm**
- Diameter **16.0 mm**
- Length **288.0 mm**
- Tube diameter **16 mm**
- Length with base excl. base pins/connection **288.00 mm**
- Nominal lamp life time **5000 h**
- Rated lamp life time **5000 h**
- Lifespan **8000 h**
- Service life **4500 h**
- Base (standard designation) **G5**
- Appropriate disposal acc. to WEEE **Yes**
- Lamp mercury content **2.5 mg**
- Energy efficiency class **A**
- Energy consumption **9 kWh/1000h**

Product benefits

- Very good luminous flux maintenance throughout the life of the lamp
- Optimized for emergency power operation
- Slim and compact

Areas of application

- Public buildings
- Industry
- Shops
- Supermarkets and department stores

Product features



- Suitable for emergency power operation

Safety advice

In case of lamp breakage: www.osram.com/brokenlamp

System guarantee

OSRAM System+ Guarantee in combination with OSRAM ECGs



Die Zuleitungen 3 und 4 sollen so kurz wie möglich sein

