

HALOLUX T ECO 25 W 230 V E14

Kod produktu: 56737



Dane techniczne:

- Nominal voltage **230.0 V**
- Nominal wattage **25.00 W**
- Color temperature **2700 K**
- Nominal luminous flux **260 lm**
- Power factor λ **1.00**
- Rated luminous flux **260 lm**
- Light color as per EN 12464-1 **Warm White**
- Starting time **0.0 s**
- Warm-up time (60 %) **0.00 s**
- Overall length **80.0 mm**
- Diameter **26.0 mm**
- Length **80.0 mm**
- Outer bulb **T26**
- Nominal lamp life time **2000 h**
- Rated lamp life time **2000 h**
- Base (standard designation) **E14**
- Mercury-free **Yes**
- Number of switching cycles **50000**
- Dimmable **Yes**
- Energy efficiency class **D**
- Order reference **64860 T ECO 25W**
- Color rendering index Ra **100**
- Lumen main.fact.at end of nom.life time **0.80**
- Lamp mercury content **0.0 mg**
- Energy consumption **25 kWh/1000h**
- ILCOS **HSGST/C/UB-25-230-E14-55**
- Light center length (LCL) **55.0 mm**
- Burning position **Any**
- Non-standard conditions **REFRIDGERATOR**
- Rated wattage **25.00 W**
- Nominal voltage **230.0 V**
- Power factor λ **1.00**
- Light color as per EN 12464-1 **Warm White**
- Color rendering index Ra **100**
- Starting time **0.0 s**

- Warm-up time (60 %) **0.00 s**
- Overall length **80.0 mm**
- Diameter **26.0 mm**
- Length **80.0 mm**
- Light center length (LCL) **55.0 mm**
- Nominal lamp life time **2000 h**
- Rated lamp life time **2000 h**
- Number of switching cycles **50000**
- Lumen main.fact.at end of nom.life time **0.80**
- Base (standard designation) **E14**
- Mercury-free **Yes**
- Lamp mercury content **0.0 mg**
- Dimmable **Yes**
- Burning position **Any**
- Non-standard conditions **REFRIDGERATOR**
- Energy efficiency class **D**

Product benefits

- Compact dimensions
- UV filter
- Contains no mercury

Areas of application

- Domestic refrigerators

Product features

- Average life: 2,000 h
- 100 % dimmable





