

EcoHalo MV Click 28W G9 230V CL 1CT

Kod produktu: 57485



Dane techniczne:

- Cap-Base **G9**
- Bulb **T13 [T 13 mm]**
- Rated Lifetime (hours) **2000 hr**
- Color Temperature **2800 K**
- Luminous Efficacy Lamp **12.1 Lm/W**
- LLMF - end nominal lifetime **80 (min) %**
- Rated Luminous Flux **370 Lm**
- Power Factor **1 -**
- Voltage **230 V**
- Dimmable **Yes**
- Rated Wattage **28.0 W**
- Wattage Equivalent **40 W**
- Starting Time **0.0 s**
- Energy Efficiency Label (EEL) **D**
- Energy consumption kWh/1000h **28 kWh**
- Switching cycle **8000X**
- Diameter D **13 (max) mm**
- Overall Length C **45 (max) mm**
- Full product code **925640644205**
- Full product name **EcoHalo MV Clickline 28W G9 230V CL 1CT**
- Order code **925640644205**
- Order product name **EcoHalo MV Click 28W G9 230V CL 1CT**
- Packing configuration **10X10F**
- Pieces per pack **1**
- Bar code on outerbox - EAN3 **8727900864007**
- Bar code on pack - EAN1 **8727900863987**
- Packs per outerbox **100**
- Logistic code(s) - 12NC **925640644205**
- Net weight per piece **3.300 gr**
- Warm-up Time to 60% Light Outp **instant full light**
- Bulb Finish **Clear**
- Bar code on intermediate packing - EAN2 **8727900863994**
- Lamp Wattage **28 W**
- Nominal Lifetime **2000 hr**
- Operating Position **any [Any or Universal (U)]**

- Rated Lifetime (years) **2 an**
- Color Rendering Index **100 Ra8**
- Luminous flux lamp **370 Lm**
- Lamp Wattage Technical **28 W**
- Lamp Current **0.12 A**
- Bulb Temperature **950 (max) C**
- Pinch Temperature **350 (max) C**
- Color Temperature Technical **2800 K**
- Light Center Length L **21.7 mm**

Mains-voltage halogen capsule with superior energy efficiency. Ideal solution for small decorative luminaires. UV-block glass and safety fuse allow usage without cover glass. The compact Clickline gives crisp white light over a long lifetime.

Mains-voltage halogen capsule with superior energy efficiency. Ideal solution for small decorative luminaires. UV-block glass and safety fuse allow usage without cover glass. The compact Clickline gives crisp white light over a long lifetime.

Features

Superior quality of light with excellent color rendering (Ra=100)

Mains-voltage lamp, no transformer needed

Compact size, easy to fit in the luminaire

Universal burning position

Instant start

Applications

General lighting in shops, restaurants, hotels, galleries, exhibitions and museums. Ideal for use in small, decorative luminaires



