

HaIA IDE 1000W E40 230V CL 1CT/6

Kod produktu: 57488



Dane techniczne:

- Cap-Base **E40**
- Bulb **T38 [T 38mm]**
- Rated Lifetime (hours) **2000 hr**
- Color Temperature **2900 K**
- Luminous Efficacy Lamp **24 Lm/W**
- LLMF - end nominal lifetime **80 (min) %**
- Rated Luminous Flux **24000 Lm**
- Power Factor **1 -**
- Voltage **230 V**
- Dimmable **Yes**
- Rated Wattage **1000.0 W**
- Starting Time **0.0 s**
- Energy Efficiency Label (EEL) **C**
- Energy consumption kWh/1000h **1000 kWh**
- Switching cycle **8000X**
- Diameter D **38.5 (max) mm**
- Overall Length C **256 (max) mm**
- Full product code **923900244240**
- Full product name **HalogenA IDE 1000W E40 230V CL 1CT**
- Order code **923900244240**
- Order product name **HaIA IDE 1000W E40 230V CL 1CT/6**
- Packing configuration **6**
- Pieces per pack **1**
- Bar code on outerbox - EAN3 **8711500499967**
- Bar code on pack - EAN1 **8711500491282**
- Packs per outerbox **6**
- Logistic code(s) - 12NC **923900244240**
- Net weight per piece **158.000 gr**
- Warm-up Time to 60% Light Outp **instant full light**
- Bulb Finish **Clear**
- Lamp Wattage **1000 W**
- Nominal Lifetime **2000 hr**
- Operating Position **any [Any or Universal (U)]**
- Rated Lifetime (years) **2 an**
- Color Rendering Index **100 Ra8**

- ILCOS code **HEGT-1000-230-e40**
- Luminous flux lamp **24000 Lm**
- Lamp Wattage Technical **1000.0 W**
- Lamp Current **4.35 A**
- Life to 50% failures **2000 hr**
- Color Temperature Technical **2900 K**

Mains-voltage high-wattage double-envelope giving a white halogen light

Mains-voltage high-wattage double-envelope giving a white halogen light

Features

Quartz burner with a linear tungsten filament in a single-ended thermal-shock-resistant clear glass tubular envelope

High luminous efficacy

Excellent color rendering

Applications

Typical application: outdoor floodlighting such as sport grounds, car parks, building sites, harbours and airport aprons

Also used in Indoor applications: public halls, factories, sport halls etc.



