

Plusline L 1500W R7s 230V 1CT/10

Kod produktu: 57520

Dane techniczne:

- Cap-Base R7s
- Bulb T4 [T4: .434 inch / 11mm]
- Rated Lifetime (hours) 2000 hr
- Color Temperature 2900 K
- Luminous Efficacy Lamp 22 Lm/W
- LLMF end nominal lifetime 80 (min) %
- Rated Luminous Flux 33000 Lm
- Power Factor 1 -
- Voltage 230 V
- Dimmable Yes
- Rated Wattage 1500.0 W
- Starting Time 0.0 s
- Energy Efficiency Label (EEL) C
- Energy consumption kWh/1000h 1500 kWh
- Switching cycle **8000X**
- Diameter D 11 (max) mm
- Overall Length C 254.1 (max) mm
- Full product code 923932243203
- Full product name Plusline Large 1500W R7s 230V 1CT
- Order code 923932243203
- Order product name Plusline L 1500W R7s 230V 1CT/10
- Packing configuration 10
- Pieces per pack 1
- Bar code on outerbox EAN3 8718291720836
- Bar code on pack EAN1 8711500494351
- Packs per outerbox **10**
- Logistic code(s) 12NC 923932243203
- Net weight per piece 0.021 kg
- Warm-up Time to 60% Light Outp instant full light
- Bulb Finish Clear
- Lamp Wattage 1500 W
- Nominal Lifetime 2000 hr
- Operating Position p4 [Parallel +/-4D or Horizontal(HOR)]
- Rated Lifetime (years) 2 an
- Color Rendering Index 100 Ra8



- ILCOS code HDG//RS-1500-230-R7s-250,7
- Luminous flux lamp 33000 Lm
- Lamp Wattage Technical 1500.0 W
- Lamp Current 6.52 A
- Bulb Temperature 900 (max) C
- Pinch Temperature 350 (max) C
- Life to 50% failures 2000 hr
- Color Temperature Technical 2900 K
- Insertion Length B 249.1 (min), 250.7 (nom), 252.3 (max) mm

PlusLine Large flood delivers maximum light output to light up large areas like outdoor, buildings and shops.

PlusLine Large flood delivers maximum light output to light up large areas like outdoor, buildings and shops.

Features

Superior quality of light with excellent color rendering (Ra=100) Double-ended high-efficacy lamps Lifetime: 2000 hours Instant start **Applications**

General lighting in shops, restaurants, hotels, galleries, exhibitions and museums. Decorative outdoor: billboards, exhibitions and parking areas







