

Plusline L 1000W R7s 230V 1CT/10

Kod produktu: 57522



Dane techniczne:

- Cap-Base **R7s**
- Bulb **T4 [T4: .434 inch / 11mm]**
- Rated Lifetime (hours) **2000 hr**
- Color Temperature **2900 K**
- Luminous Efficacy Lamp **21.5 Lm/W**
- LLMF - end nominal lifetime **80 (min) %**
- Rated Luminous Flux **21500 Lm**
- Power Factor **1 -**
- Voltage **230 V**
- Dimmable **Yes**
- Rated Wattage **1000.0 W**
- Starting Time **0.0 s**
- Energy Efficiency Label (EEL) **C**
- Energy consumption kWh/1000h **1000 kWh**
- Switching cycle **8000X**
- Diameter D **11 (max) mm**
- Overall Length C **189.1 (max) mm**
- Full product code **923932143203**
- Full product name **Plusline Large 1000W R7s 230V 1CT**
- Order code **923932143203**
- Order product name **Plusline L 1000W R7s 230V 1CT/10**
- Packing configuration **10**
- Pieces per pack **1**
- Bar code on outerbox - EAN3 **8718291720812**
- Bar code on pack - EAN1 **8711500494344**
- Packs per outerbox **10**
- Logistic code(s) - 12NC **923932143203**
- Net weight per piece **0.016 kg**
- Warm-up Time to 60% Light Outp **instant full light**
- Bulb Finish **Clear**
- Lamp Wattage **1000 W**
- Nominal Lifetime **2000 hr**
- Operating Position **p4 [Parallel +/-4D or Horizontal(HOR)]**
- Rated Lifetime (years) **2 an**
- Color Rendering Index **100 Ra8**

- ILCOS code **HDG//RS-1000-230-R7s-185,7**
- Luminous flux lamp **21500 Lm**
- Lamp Wattage Technical **1000.0 W**
- Lamp Current **4.35 A**
- Bulb Temperature **900 (max) C**
- Pinch Temperature **350 (max) C**
- Life to 50% failures **2000 hr**
- Color Temperature Technical **2900 K**
- Insertion Length B **184.1 (min), 185.7 (nom), 187.3 (max) mm**

PlusLine Large flood delivers maximum light output to light up large areas like outdoor, buildings and shops.

PlusLine Large flood delivers maximum light output to light up large areas like outdoor, buildings and shops.

Features

Superior quality of light with excellent color rendering (Ra=100)

Double-ended high-efficacy lamps

Lifetime: 2000 hours

Instant start

Applications

General lighting in shops, restaurants, hotels, galleries, exhibitions and museums. Decorative outdoor: billboards, exhibitions and parking areas



