

MASTER TL-D 90 De Luxe 36W/940 SLV/10

Kod produktu: 57873



Dane techniczne:

- Cap-Base **G13 [Medium Bi-Pin Fluorescent]**
- Bulb **T8 [26 mm]**
- Color Code **940 [CCT of 4000K]**
- Color Designation (text) **Cool White**
- Color Temperature **4000 K**
- Dimmable **Yes**
- Energy Efficiency Label (EEL) **A**
- Energy consumption kWh/1000h **43 kWh**
- Diameter D **28 (max) mm**
- Overall Length C **1213.6 (max) mm**
- Full product code **928044594081**
- Full product name **MASTER TL-D 90 De Luxe 36W/940 1SL**
- Order code **928044594081**
- Order product name **MASTER TL-D 90 De Luxe 36W/940 1SL/10**
- Packing configuration **10**
- Pieces per pack **1**
- Bar code on outerbox - EAN3 **8711500888594**
- Bar code on pack - EAN1 **8711500888587**
- Packs per outerbox **10**
- Logistic code(s) - 12NC **928044594081**
- Net weight per piece **137.500 gr**
- Lamp Wattage **36 W**
- Color Rendering Index **91 Ra8**
- ILCOS code **FD-36/38/1A-E-G13**
- Mercury (Hg) Content **3.0 mg**
- Insertion Length B **1204.1 (min), 1206.5 (max) mm**
- Chromaticity Coordinate X **381 -**
- Chromaticity Coordinate Y **379 -**
- LSF EM 2000h Rated,3h cycle **99 %**
- LSF EM 4000h Rated,3h cycle **99 %**
- LSF EM 6000h Rated,3h cycle **99 %**
- LSF EM 8000h Rated,3h cycle **99 %**
- LLMF EM 2000h Rated **96 %**
- Lum Efficacy Rated EM 25°C **77.8 Lm/W**
- Luminous Flux EM 25°C, Nominal **2800 Lm**
- Luminous Flux EM 25°C, Rated **2800 Lm**
- LLMF EM 4000h Rated **95 %**
- LLMF EM 6000h Rated **94 %**
- LLMF EM 8000h Rated **93 %**
- Design Temperature **25 C**

- Lamp Wattage EM 25°C, Nominal **36 W**
- Lamp Current EM 25°C **0.440 A**
- Lamp Voltage EM 25°C **103 V**
- Lamp Wattage EM 25°C, Rated **36.0 W**
- Base Face to Base Face A **1199.4 (max) mm**
- LSF EM 12000h Rated, 3h cycle **89 %**
- LSF EM 16000h Rated, 3h cycle **33 %**
- LLMF EM 12000h Rated **92 %**
- LLMF EM 16000h Rated **91 %**
- LLMF EM 20000h Rated **90 %**
- LSF EM 20000h Rated, 3h cycle **2 %**
- Luminance Average EM **1.00 cd/cm²**

This TL-D lamp makes colors appear rich, deep and enhanced in a natural way. Thus very suitable for applications where a high color recognition is needed: first aid and treatment rooms in hospitals, printing rooms, jewelry, dentists, hairdressing, museums and shops

This TL-D lamp makes colors appear rich, deep and enhanced in a natural way. Thus very suitable for applications where a high color recognition is needed: first aid and treatment rooms in hospitals, printing rooms, jewelry, dentists, hairdressing, museums and shops

Features

High-quality fluorescent coating for improved color rendering

Use of three-band phosphors for high efficacy

Retrofit in current luminaires for standard TL-D lamps

Available in various color designations

Applications

Used in applications where good color rendering is crucial, such as shops (flower, fashion, department, etc.), hairdresser, museums, hospitals, etc.



