

MASTER TL-D 90 De Luxe 58W/965 SLV/10

Kod produktu: 57879



Dane techniczne:

- Cap-Base **G13 [Medium Bi-Pin Fluorescent]**
- Bulb **T8 [26 mm]**
- Color Code **965 [CCT of 6500K]**
- Color Designation (text) **Cool Daylight**
- Color Temperature **6500 K**
- Dimmable **Yes**
- Energy Efficiency Label (EEL) **A**
- Energy consumption kWh/1000h **68 kWh**
- Diameter D **28 (max) mm**
- Overall Length C **1514.2 (max) mm**
- Full product code **928045096581**
- Full product name **MASTER TL-D 90 De Luxe 58W/965 1SL**
- Order code **928045096581**
- Order product name **MASTER TL-D 90 De Luxe 58W/965 1SL/10**
- Packing configuration **10**
- Pieces per pack **1**
- Bar code on outerbox - EAN3 **8711500888747**
- Bar code on pack - EAN1 **8711500888730**
- Packs per outerbox **10**
- Logistic code(s) - 12NC **928045096581**
- Net weight per piece **112.400 gr**
- Lamp Wattage **58 W**
- Color Rendering Index **93 Ra8**
- ILCOS code **FD-58/65/1A-E-G13**
- Mercury (Hg) Content **3.0 mg**
- Insertion Length B **1504.7 (min), 1507.1 (max) mm**
- Chromaticity Coordinate X **309 -**
- Chromaticity Coordinate Y **323 -**
- LSF EM 2000h Rated,3h cycle **99 %**
- LSF EM 4000h Rated,3h cycle **99 %**
- LSF EM 6000h Rated,3h cycle **99 %**
- LSF EM 8000h Rated,3h cycle **99 %**
- LLMF EM 2000h Rated **96 %**
- Lum Efficacy Rated EM 25°C **77.8 Lm/W**
- Luminous Flux EM 25°C, Nominal **4550 Lm**
- Luminous Flux EM 25°C, Rated **4550 Lm**
- LLMF EM 4000h Rated **95 %**
- LLMF EM 6000h Rated **94 %**
- LLMF EM 8000h Rated **93 %**
- Design Temperature **25 C**

- Lamp Wattage EM 25°C, Nominal **58 W**
- Lamp Current EM 25°C **0.670 A**
- Lamp Voltage EM 25°C **111 V**
- Lamp Wattage EM 25°C, Rated **58.5 W**
- Base Face to Base Face A **1500.0 (max) mm**
- LSF EM 12000h Rated, 3h cycle **89 %**
- LSF EM 16000h Rated, 3h cycle **33 %**
- LLMF EM 12000h Rated **92 %**
- LLMF EM 16000h Rated **91 %**
- LLMF EM 20000h Rated **90 %**
- LSF EM 20000h Rated, 3h cycle **2 %**
- Luminance Average EM **1.25 cd/cm²**

This TL-D lamp makes colors appear rich, deep and enhanced in a natural way. Thus very suitable for applications where a high color recognition is needed: first aid and treatment rooms in hospitals, printing rooms, jewelry, dentists, hairdressing, museums and shops

This TL-D lamp makes colors appear rich, deep and enhanced in a natural way. Thus very suitable for applications where a high color recognition is needed: first aid and treatment rooms in hospitals, printing rooms, jewelry, dentists, hairdressing, museums and shops

Features

High-quality fluorescent coating for improved color rendering
Use of three-band phosphors for high efficacy
Retrofit in current luminaires for standard TL-D lamps
Available in various color designations

Applications

Used in applications where good color rendering is crucial, such as shops (flower, fashion, department, etc.), hairdresser, museums, hospitals, etc.



