

MST SDW-TG Mini 50W/825 GX12-1 1CT/12

Kod produktu: 58049



Dane techniczne:

- Cap-Base **GX12-1**
- Bulb **T19 [T 19mm]**
- Color Code **825 [CCT of 2500K]**
- Color Designation (text) **Golden White**
- Color Temperature **2500 K**
- Dimmable **No**
- Energy Efficiency Label (EEL) **B**
- Energy consumption kWh/1000h **55 kWh**
- Diameter D **20 (max) mm**
- Overall Length C **103 (max) mm**
- Full product code **928159905131**
- Full product name **MASTER SDW-TG Mini 50W/825 GX12-1 1CT**
- Order code **928159905131**
- Order product name **MST SDW-TG Mini 50W/825 GX12-1 1CT/12**
- Packing configuration **12**
- Pieces per pack **1**
- Bar code on outerbox - EAN3 **8711500203243**
- Bar code on pack - EAN1 **8711500203236**
- Packs per outerbox **12**
- Logistic code(s) - 12NC **928159905131**
- Net weight per piece **0.034 kg**
- Bulb Finish **Clear**
- Lamp Wattage **50 W**
- Operating Position **any [Any or Universal (U)]**
- Color Rendering Index **80 (min), 81 (nom) Ra8**
- ILCOS code **STH-50/25/1B-GX12-1**
- Cap-Base Temperature **280 (max) C**
- Bulb Temperature **500 (max) C**
- Pinch Temperature **350 (max) C**
- Life to 50% failures **10000 hr**
- Color Temperature Technical **2500 K**
- Light Center Length L **56 mm**
- Mercury (Hg) Content **5.7 mg**
- Lumen Maintenance 2000h **95 %**
- Chromaticity Coordinate X **468 -**

- Chromaticity Coordinate Y **408 -**
- Lumen Maintenance 5000h **85 %**
- Lamp Wattage EL 25°C, Rated **54.0 W**
- Lamp Wattage EL 25°C, Nominal **50.0 W**
- Lamp Voltage **85 V**
- Lumen Maintenance 10000h **75 %**
- Life to 20% failures **9000 hr**
- Life to 5% failures **7000 hr**
- Arc Length O **14 mm**
- Luminous Efficacy Lamp EL **44 Lm/W**
- Luminous Flux Lamp EL **2400 Lm**
- System Power EL **62 W**
- Ignition Time **60 (max) s**
- Lamp Current EL **0.65 A**
- Re-ignition Time [min] **1.0 (max) min**
- Run-up time 90% **2 (max) min**
- Reference Length A **90 (max) mm**

Range of high-efficiency, discharge lamps with warm color to be used in small, open luminaires designed around MASTERColour CDM-T lamps

Range of high-efficiency, discharge lamps with warm color to be used in small, open luminaires designed around MASTERColour CDM-T lamps

Features

Unique warm color quality

Lamp design is well-suited to be used in luminaires for MASTERColour CDM-T power-spots

UV-block glass

Applications

Shop lighting (creates cosy atmosphere e.g. in furniture shops), excellent display of fresh goods (at butchers, bakeries, flower-shops)





