

MST SON-T PIA Plus 600W/220 E40 1SL/12

Kod produktu: 58084



Dane techniczne:

- Cap-Base **E40**
- Bulb **T46 [T 46mm]**
- Color Code **220 [CCT of 2000K]**
- Color Temperature **2000 K**
- Voltage **230 V**
- Dimmable **No**
- Energy Efficiency Label (EEL) **A++**
- Energy consumption kWh/1000h **665 kWh**
- Diameter D **47 (max) mm**
- Overall Length C **283 (max) mm**
- Full product code **928158409227**
- Full product name **MASTER SON-T PIA Plus 600W/220 E40 1SL**
- Order code **928158409227**
- Order product name **MST SON-T PIA Plus 600W/220 E40 1SL/12**
- Packing configuration **12**
- Pieces per pack **1**
- Bar code on outerbox - EAN3 **8711500197436**
- Bar code on pack - EAN1 **8711500197429**
- Packs per outerbox **12**
- Logistic code(s) - 12NC **928158409227**
- Net weight per piece **0.177 kg**
- Bulb Finish **Clear**
- System Description **External Ignitor**
- Lamp Wattage **600 W**
- Operating Position **any [Any or Universal (U)]**
- Color Rendering Index **25 (max) Ra8**
- ILCOS code **ST-600-H/S-E40**
- Cap-Base Temperature **250 (max) C**
- Bulb Temperature **450 (max) C**
- Life to 50% failures **30000 hr**
- Light Center Length L **174.2 mm**
- Mercury (Hg) Content **24 mg**
- Lumen Maintenance 2000h **96 %**
- Chromaticity Coordinate X **526 -**
- Chromaticity Coordinate Y **424 -**

- Lumen Maintenance 5000h **90 %**
- Luminous Flux EM 25°C, Rated **90000 Lm**
- Lamp Wattage EM 25°C, Nominal **600.0 W**
- Lamp Wattage EM 25°C, Rated **605.0 W**
- Luminous Efficacy Lamp EM **148 Lm/W**
- Lamp Voltage **115 V**
- Lamp Current EM **5.8 A**
- Life to 20% failures **20000 hr**
- Life to 5% failures **12000 hr**
- Arc Length $\varnothing$ **126 mm**
- Ignition Time **10 (max) s**
- Run-up time 90% **5 (max) min**
- Re-ignition Time [sec] **60 (max) s**
- Life to 10% failures **15000 hr**
- Ratio scotopic/photopic lumens **0.60 -**
- Lumen Maintenance 20000h **77 %**

High Pressure Sodium lamp with clear tubular outer bulb, high output and long reliable lifetime





