

PL-S 9W BLB/2P 1CT/6X10CC

Kod produktu: 58274



Dane techniczne:

- Cap-Base **G23 [Two-Pin Compact Fluorescent; low preheat current; two retainers]**
- Bulb **2xT12**
- Color Code **108 [08 lead free glass]**
- Color Designation (text) **Blacklight Blue**
- Diameter D **28.0 (max) mm**
- Overall Length C **167.5 (max) mm**
- Full product code **927901710807**
- Full product name **PL-S 9W BLB/2P 1CT**
- Order code **927901710807**
- Order product name **PL-S 9W BLB/2P 1CT/6X10CC**
- Packing configuration **6X10CC**
- Pieces per pack **1**
- Bar code on outerbox - EAN3 **8711500950925**
- Bar code on pack - EAN1 **8711500950901**
- Packs per outerbox **60**
- Logistic code(s) - 12NC **927901710807**
- Net weight per piece **32.000 gr**
- Main Application **Blacklight Blue**
- Bar code on intermediate packing - EAN2 **8711500950918**
- Cap-Base Information **2 Pins**
- Lamp Wattage **9 W**
- Lamp Wattage Technical **8.6 W**
- Lamp Current **0.17 A**
- Mercury (Hg) Content **3.0 mg**
- Insertion Length B **145.0 (max) mm**
- Base Face to Base Face A **129.0 (max) mm**
- Diameter D1 **13.0 (max) mm**
- Lamp Voltage **60 V**
- Useful Life **3000 hr**
- UV-A Power (IEC) **1.65 W**
- UV-B/UV-A (IEC) **0.2 %**

PL-S Blacklight Blue is a special low-wattage compact fluorescent lamp emitting long wave UV radiation for detection and analysis purposes in archaeology, money checking, forensic science, food industry, medicine, mineralogy, philately as well for special effects in night clubs, discos, theatres and sign lighting. The 2-pin version is designed for operation on

electromagnetic gear, the 4-pin version is designed for operation on electronic gear. Both versions are provided with a plug-in/pull-out lamp base.

PL-S Blacklight Blue is a special low-wattage compact fluorescent lamp emitting long wave UV radiation for detection and analysis purposes in archaeology, money checking, forensic science, food industry, medicine, mineralogy, philately as well for special effects in night clubs, discos, theatres and sign lighting. The 2-pin version is designed for operation on electromagnetic gear, the 4-pin version is designed for operation on electronic gear. Both versions are provided with a plug-in/pull-out lamp base.

Features

Long wave UV fluorescent phosphor technology

2-pin version: 2-pin base with a housing incorporating the special instant starter and capacitor

4-pin version: 4-pin base

Applications

Detection and analysis in the textile and chemical industries

Banking and forensic science

Special effects in night clubs, discos and theatres, and sign lighting

