


TBS165 G 4xTL5-14W/840 HFS C6 PIP SC

Kod produktu: 59437



Dane techniczne:

- Full product code **910503651818**
- Full product name **TBS165 G 4xTL5-14W/840 HFS C6 PIP SC**
- Order code **910503651818**
- Order product name **TBS165 G 4xTL5-14W/840 HFS C6 PIP SC**
- Pieces per pack **0**
- Bar code on outerbox - EAN3 **8717943888023**
- Packs per outerbox **1**
- Logistic code(s) - 12NC **910503651818**
- Net weight per piece **3.090 kg**
- Product family code **TBS165 [TBS165]**
- Number of light sources **4 [4 pcs]**
- Kombipack **K [Lamp(s) included]**
- Lamp family code **TL5 [TL5]**
- Lamp power **14 W [14 W]**
- Light source color **840 [840 neutral white]**
- Gear **HFS [HF Standard]**
- Optic type **C6 [High-gloss optic double parabolic closed]**
- Ingress protection code **IP20 [Finger-protected]**
- Input voltage **220-240 V [220 to 240 V]**
- Protection class IEC **CL I [Safety class I]**
- Mech. impact protection code **IK02 [0.2 J standard]**
- CE mark **CE [CE mark]**
- Flammability mark **F [For mounting on normally flammable surfaces]**
- Glow-wire test **850/5 [Temperature 850 °C, duration 5 s]**
- Connection **PIP [Push-in connector and pull relief]**
- Country version **No**
- Safety device **SC [Safety cable]**
- Duplication code **G [Purchase Supply Group]**

TBS165 - 4 pcs - TL5 - 14 W - HF Standard - High-gloss optic double parabolic closed

Designed to address the need for energy-efficient basic lighting, the TBS165 luminaire makes it possible to save energy by replacing outdated electromagnetic installations with Philips TL5 technology. Featuring innovative dedicated TL5 optics, a choice of ballasts, sensors (presence detection, daylight regulation) and emergency lighting, the TBS165 range can be used for general lighting in a wide variety of applications, including offices, corridors, schools and shops (supermarkets, DIY). Combining high-frequency gear, sensors and MASTER TL5 lamps, it allows substantial energy


savings. The low-height recessed luminaire fits in exposed ceilings. Conveniently, it does not have to be opened, as it has pre-installed lamps and can be connected from the outside.

Features

Dedicated TL5 luminaire
High-gloss as well as matt optics
Compliant with office lighting norm


Applications

Offices
Schools
Shops (supermarkets, DIY stores)




TBS165 G 4xTL5-14W HFS C6

4 x 1200 lm



TBS165 G 4xTL5-14W HFS C6

4 x 1200 lm



LW1675400

2012-03-28

