

TCS260 2x54W/840 HFS M6 WH

Kod produktu: 60807



Dane techniczne:

- Full product code **910402386112**
- Full product name **TCS260 2x54W/840 HFS M6 WH**
- Order code **910402386112**
- Order product name **TCS260 2x54W/840 HFS M6 WH**
- Pieces per pack **0**
- Bar code on outerbox - EAN3 **8727900612332**
- Packs per outerbox **1**
- Logistic code(s) - 12NC **910402386112**
- Net weight per piece **3.200 kg**
- Product family code **TCS260 [TCS260]**
- Number of light sources **2 [2 pcs]**
- Kombipack **K [Lamp(s) included]**
- Lamp family code **TL5 [TL5]**
- Lamp power **54 W [54 W]**
- Light source color **840 [840 neutral white]**
- Gear **HFS [HF Standard]**
- Optic type **M6 [Matt optic double parabolic louver closed]**
- Optical cover/lens type **No**
- Emergency lighting **No**
- Ingress protection code **IP20 [Finger-protected]**
- Input voltage **220-240 V [220 to 240 V]**
- Protection class IEC **CLI [Safety class I]**
- Color **WH [White]**
- CE mark **CE [CE mark]**
- Flammability mark **F [For mounting on normally flammable surfaces]**
- Embedded control **No**
- Housing configuration **BV [Basic version]**
- Internal wiring **STD [Standard]**
- Light distribution **DIR [Direct lighting]**

TCS260 - 2 pcs - 54 W - HF Standard - Matt optic double parabolic louver closed

The EFix TL5 luminaire range is a dedicated, affordable choice of innovative lighting that enables massive energy savings to be made when old electromagnetic installations are replaced by the latest Philips technology. The range's optical performance complies with the latest EN-12464 norms, ensuring improved lighting quality in every application. Used in combination with high-frequency gear, Philips MASTER TL5 lamps enable substantial energy savings to be

made. These savings can be further increased by using a Luxsense daylight controller integrated into the luminaire. The practical design of EFix combines both surface-mounted (TCS260) and suspended (TPS262) luminaires in one design. Thanks to the luminaire's easily removable top cover, the beam can be adjusted to provide direct or direct/indirect lighting. EFix is supplied with lamps and is ready to install, minimizing installation time. EFix recessed TBS260 completes Philips' range of luminaires for general lighting applications in offices and shops.

Features

Simple design

MASTER TL5 lamps; suitable for use with high-frequency gear

Mini optics; performance compliant with EN-12464 norms

Integrated Luxsense daylight controller available

Easily removable top cover: allows beam adjustment to provide direct or direct/indirect lighting

Applications

Offices

Shops



