

# Latte IP54 2x36W T8 200x1270mm

Kod produktu: 64364



## Dane techniczne:

- Light source power **2x36W**
- Info **Prismatic diffuser**
- Weight **2.40 kg**
- CNBOP **Yes**
- Light source **T8**
- Lamp holder **G13**
- Type of installation **Ceiling mounted**
- Housing material **Steel sheet**
- Reflector **None**
- Diffuser color **White**
- Louver/shutter **OPAL**
- Diffuser material **Opal/mat plastic**
- Type of equipment **EVG**
- Voltage rating **230 V**
- Color **White**
- Light distribution **DI**
- Degree of protection (IP) **IP54**
- Class of protection **I**
- Energy class **A**
- CE **Yes**
- Light source protection **Yes**
- PZH **Yes**

Luminaire of increased degree of protection and simple, classic form with beveled corners. System of easy light sources exchange. Bracket version, as part of Latte series, was designed for wall mounting above bathroom mirrors, complementary to the ceiling luminaires based on the other versions of the Latte IP54 luminaires series.

**Materials:** powder painted base made of steel sheets (standard color: white), opal UV proof diffuser

**Installation:** ceiling mounted

**Power:** 230 V

|                 | L    | W   | H  |
|-----------------|------|-----|----|
| PX1785164 1x28W | 1270 | 110 | 70 |

|                 |      |     |    |
|-----------------|------|-----|----|
| PX1785171 1x54W | 1270 | 110 | 70 |
| PX1785178 1x35W | 1560 | 110 | 70 |
| PX1785185 1x49W | 1560 | 110 | 70 |
| PX1785192 1x80W | 1560 | 110 | 70 |
| PX1785101 2x9W  | 270  | 270 | 70 |
| PX1785108 1x18W | 270  | 270 | 70 |
| PX1785115 2x18W | 270  | 270 | 70 |
| PX1785122 1x18W | 270  | 270 | 70 |
| PX1785129 1x26W | 270  | 270 | 70 |
| PX1785136 2x18W | 270  | 270 | 70 |
| PX1788101 1x14W | 670  | 200 | 70 |
| PX1788108 1x24W | 670  | 200 | 70 |
| PX1788129 1x28W | 1270 | 200 | 70 |
| PX1788136 1x54W | 1270 | 200 | 70 |
| PX1788143 1x35W | 1560 | 200 | 70 |
| PX1788150 1x49W | 1560 | 200 | 70 |
| PX1788164 2x14W | 670  | 200 | 70 |
| PX1788171 2x24W | 670  | 200 | 70 |
| PX1788192 2x28W | 1270 | 200 | 70 |
| PX1788199 2x54W | 1270 | 200 | 70 |
| PX1788206 2x35W | 1560 | 200 | 70 |
| PX1788213 2x49W | 1560 | 200 | 70 |
| PX1788178 4x14W | 670  | 670 | 70 |
| PX1788185 4x24W | 670  | 670 | 70 |
| PX1784181 4x18W | 670  | 670 | 70 |
| PX1784143 1x18W | 670  | 200 | 70 |
| PX1784150 1x36W | 1270 | 200 | 70 |
| PX1784157 1x58W | 1560 | 200 | 70 |
| PX1784164 2x18W | 670  | 200 | 70 |
| PX1784171 2x36W | 1270 | 200 | 70 |
| PX1784178 2x58W | 1560 | 200 | 70 |
| PX1785199 1x36W | 1270 | 200 | 70 |
| PX1785206 1x58W | 1560 | 200 | 70 |
| PX1785143 1x18W | 670  | 100 | 70 |
| PX1785150 1x14W | 670  | 100 | 70 |
| PX1785157 1x24W | 670  | 100 | 70 |

L - Length

W - Width

H - Height / Depth



