



VIP Overlapping G/K

ikony

A modern line of system lighting luminaires made of thick-wall aluminum profile with high resistance parameters. The direct (DI) lighting beam can be obtained by means of opal diffuser. Thanks to the series of additional mounting accessories the luminaires can be easily mounted and offer many different universal configurations.

Materials: powder painted aluminum profile (grey colour in standard). Opal diffuser made of polycarbonate.

Installation: recessed

Power: 230 V

ELECTRICAL DATA

Light source	T5
Lamp holder	G5
Number of light sources	1
Type of equipment	EVG
Voltage rating	230 V
Light source included	No

MECHANICAL DATA

Type of installation	Recessed
Housing material	Aluminum
Designed for light-line	Yes

INFROMATIONS

Color	Grey
-------	------

MATERIALS

Product code	Light source power [W]	Info	Degree of protection (IP)	CE	Weight [kg]
PX0977001	1×28	end module	IP20	Yes	3.0
PX0977008	1×54	end module	-	No	3.0
PX0977015	1×35	end module	-	No	3.5
PX0977022	1×49	end module	-	No	3.5
PX0977029	1×80	end module	-	No	3.5
PX0977036	1×28	Moduł przelotowy	-	No	3.0
PX0977043	1×54	Moduł przelotowy	-	No	3.0
PX0977050	1×35	Moduł przelotowy	-	No	3.5
PX0977057	1×49	Moduł przelotowy	-	No	3.5
PX0977064	1×80	Moduł przelotowy	-	No	3.5
PX0977101	1×28	AW end module	-	No	4.4
PX0977108	1×54	AW end module	-	No	4.4
PX0977115	1×35	AW end module	-	No	4.9
PX0977122	1×49	AW end module	-	No	4.9

CERTIFICATES

Impact resistance	Brak
Class of protection	I
Light source protection	Yes
For ceiling installation, fire class "F" (L)	Yes

LIGHT DATA



Light distribution	Mid beam
Light distribution	DI

OPTICAL DATA

Diffuser color	White
Diffuser material	Opal plastic
Reflector	None

Product code	Light source power [W]	Info	Degree of protection (IP)	CE	Weight [kg]
PX0977129	1×80	AW end module	-	No	4.9
PX0977136	1×28	Data-S end module	-	No	5.0
PX0977143	1×54	Data-S end module	-	No	5.0
PX0977150	1×35	Data-S end module	-	No	5.5
PX0977157	1×49	Data-S end module	-	No	5.5
PX0977164	1×80	Data-S end module	-	No	5.5

DIMENSIONS



Product code	L [mm]	W [mm]	H [mm]	C [mm]	D [mm]	E [mm]
PX0977001	1120	86	65	1120	65	65
PX0977008	1120	86	65	1120	65	65
PX0977015	1420	86	65	1420	65	65
PX0977022	1420	86	65	1420	65	65
PX0977029	1420	86	65	1420	65	65
PX0977036	1060	86	65	1060	65	65
PX0977043	1060	86	65	1060	65	65
PX0977050	1360	86	65	1360	65	65
PX0977057	1360	86	65	1360	65	65
PX0977064	1360	86	65	1360	65	65
PX0977101	1120	86	65	1120	65	65
PX0977108	1120	86	65	1120	65	65
PX0977115	1420	86	65	1420	65	65
PX0977122	1420	86	65	1420	65	65
PX0977129	1420	86	65	1420	65	65
PX0977136	1060	86	65	1060	65	65
PX0977143	1060	86	65	1060	65	65
PX0977150	1360	86	65	1360	65	65
PX0977157	1360	86	65	1360	65	65
PX0977164	1360	86	65	1360	65	65

L = Length | W = Width | H = Height / Depth | C = Installation length | D = Installation width | E = Installation depth

ACCESSORIES

Structural elements



VIP G/K End cap

Connecting elements



VIP G/K 90° joint



Sigma/Velo/VIP/VIP G/K Invisible linear joint Set (2 pcs)
