



Latte IP54



Luminaire of increased degree of protection and simple, classic form with beveled corners. System of easy light sources exchange. Bracket version, as part of Latte series, was designed for wall mounting above bathroom mirrors, complementary to the ceiling luminaires based on the other versions of the Latte IP54 luminaires series.

Materials: powder painted base made of steel sheets (standard color: white), opal UV proof diffuser

Installation: ceiling mounted

Power: 230 V

ELECTRICAL DATA

Type of equipment	EVG
Voltage rating	230 V

MECHANICAL DATA

Type of installation	Ceiling mounted
Housing material	Steel sheet

INFOMATIONS

Color	White
-------	-------

CERTIFICATES

Degree of protection (IP)	IP54
Class of protection	I
Light source protection	Yes
Energy class	A
CE	Yes
PZH	Yes

LIGHT DATA

Light distribution	DI
--------------------	----

OPTICAL DATA


Louver/shutter	OPAL
Diffuser color	White
Diffuser material	Opal/mat plastic
Reflector	None

MATERIALS

Product code	Light source	Lamp holder	Light source power [W]	Info	CNBOP	Weight [kg]
PX1785164	T5	G5	1×28	Smooth diffuser	Yes	2.3
PX1785171	T5	G5	1×54	Smooth diffuser	Yes	2.3
PX1785178	T5	G5	1×35	Smooth diffuser	Yes	2.8
PX1785185	T5	G5	1×49	Smooth diffuser	Yes	2.8
PX1785192	T5	G5	1×80	Smooth diffuser	Yes	2.8
PX1785101	TC-SE	2G7	2×9	Smooth diffuser	No	-
PX1785108	TC-L	2G11	1×18	Smooth diffuser	No	-
PX1785115	TC-L	2G11	2×18	Smooth diffuser	No	-
PX1785122	TC-DE	G24q-3	1×18	Smooth diffuser	No	-
PX1785129	TC-DE	G24q-3	1×26	Smooth diffuser	No	-
PX1785136	TC-DE	G24q-3	2×18	Smooth diffuser	No	-
PX1788101	T5	G5	1×14	Prismatic diffuser	Yes	1.6
PX1788108	T5	G5	1×24	Prismatic diffuser	Yes	1.6

Product code	Light source	Lamp holder	Light source power [W]	Info	CNBOP	Weight [kg]
PX1788129	T5	G5	1×28	Prismatic diffuser	Yes	2.3
PX1788136	T5	G5	1×54	Prismatic diffuser	Yes	2.3
PX1788143	T5	G5	1×35	Prismatic diffuser	Yes	2.8
PX1788150	T5	G5	1×49	Prismatic diffuser	Yes	2.8
PX1788164	T5	G5	2×14	Prismatic diffuser	Yes	1.7
PX1788171	T5	G5	2×24	Prismatic diffuser	Yes	1.7
PX1788192	T5	G5	2×28	Prismatic diffuser	Yes	2.4
PX1788199	T5	G5	2×54	Prismatic diffuser	Yes	2.4
PX1788206	T5	G5	2×35	Prismatic diffuser	Yes	2.9
PX1788213	T5	G5	2×49	Prismatic diffuser	Yes	2.9
PX1788178	T5	G5	4×14	Smooth diffuser	Yes	3.9
PX1788185	T5	G5	4×24	Smooth diffuser	Yes	3.9
PX1784181	T8	G13	4×18	Smooth diffuser	Yes	2.9
PX1784143	T8	G13	1×18	Prismatic diffuser	Yes	1.6
PX1784150	T8	G13	1×36	Prismatic diffuser	Yes	2.3
PX1784157	T8	G13	1×58	Prismatic diffuser	Yes	2.8
PX1784164	T8	G13	2×18	Prismatic diffuser	Yes	1.7
PX1784171	T8	G13	2×36	Prismatic diffuser	Yes	2.4
PX1784178	T8	G13	2×58	Prismatic diffuser	Yes	2.9
PX1785199	T8	G13	1×36	Smooth diffuser	Yes	2.3
PX1785206	T8	G13	1×58	Smooth diffuser	Yes	2.8
PX1785143	T8	G13	1×18	Smooth diffuser	No	2.9
PX1785150	T5	G5	1×14	Smooth diffuser	No	3.9
PX1785157	T5	G5	1×24	Smooth diffuser	No	2.5

DIMENSIONS



Product code	L [mm]	W [mm]	H [mm]
PX1785164	1270	110	70
PX1785171	1270	110	70
PX1785178	1560	110	70
PX1785185	1560	110	70
PX1785192	1560	110	70
PX1785101	270	270	70
PX1785108	270	270	70
PX1785115	270	270	70
PX1785122	270	270	70
PX1785129	270	270	70
PX1785136	270	270	70
PX1788101	670	200	70
PX1788108	670	200	70
PX1788129	1270	200	70
PX1788136	1270	200	70
PX1788143	1560	200	70
PX1788150	1560	200	70
PX1788164	670	200	70
PX1788171	670	200	70
PX1788192	1270	200	70
PX1788199	1270	200	70
PX1788206	1560	200	70
PX1788213	1560	200	70
PX1788178	670	670	70
PX1788185	670	670	70
PX1784181	670	670	70
PX1784143	670	200	70
PX1784150	1270	200	70
PX1784157	1560	200	70
PX1784164	670	200	70
PX1784171	1270	200	70
PX1784178	1560	200	70
PX1785199	1270	200	70
PX1785206	1560	200	70
PX1785143	670	100	70
PX1785150	670	100	70
PX1785157	670	100	70

L = Length | W = Width | H = Height / Depth