




Poker LS LED



Industrial luminaire for LED light sources for inline installation. Luminaire has a simple way of installation without use of additional tools. Thank to LED it's lighter, it's exploitation is more energy efficient. Aluminum reflector optimize light distribution.

Designed for lighting service spaces, warehouses and supermarkets.

Materials: housing made of steel electrostatically painted in white, reflector made of polished aluminum

Installation: suspended

Power: 230 V

ELECTRICAL DATA

Light source	LED
Number of light sources	1
Voltage rating	230 V
Light source included	Yes

INFROMATIONS


Color	White
-------	-------

CERTIFICATES

Degree of protection (IP)	IP20
Class of protection	I
Energy class	A+
CE	Yes

MATERIALS

Product code	Light source power [W]	Type of equipment	For through out powering	Power factor	SELV	Type of installation	Housing material	Designed for light-line	Louver/shutter	Luminaire luminous flux [lm]
PX2066601	1x28	AC	Yes	0.97	Yes	Suspended	Aluminum	Yes	OPAL	2000
PX2066608	1x28	AC	Yes	0.97	Yes	Suspended	Aluminum	Yes	OPAL	2050
PX2066615	1x53	AC	Yes	0.97	Yes	Suspended	Aluminum	Yes	OPAL	3800
PX2066622	1x53	AC	Yes	0.97	Yes	Suspended	Aluminum	Yes	OPAL	3900
PX2066629	1x34	AC	Yes	0.97	Yes	Suspended	Aluminum	Yes	OPAL	2500
PX2066636	1x34	AC	Yes	0.97	Yes	Suspended	Aluminum	Yes	OPAL	2550
PX2066643	1x65	AC	Yes	0.97	Yes	Suspended	Aluminum	Yes	OPAL	4750
PX2066650	1x65	AC	Yes	0.97	Yes	Suspended	Aluminum	Yes	OPAL	4900
PX2066657	1x28	AC	Yes	-	Yes	Suspended	Aluminum	Yes	MPRM	2150
PX2066664	1x28	-	No	-	No	-	-	No	MPRM	2200
PX2066671	1x53	-	No	-	No	-	-	No	MPRM	4200
PX2066678	1x53	-	No	-	No	-	-	No	MPRM	4300
PX2066685	1x34	-	No	-	No	-	-	No	MPRM	2700
PX2066692	1x34	-	No	-	No	-	-	No	MPRM	2750
PX2066699	1x65	-	No	-	No	-	-	No	MPRM	5250
PX2066706	1x65	-	No	-	No	-	-	No	MPRM	5400



DIMENSIONS

Product code	L [mm]	W [mm]	H [mm]
PX2066601	1200	100	75
PX2066608	1200	100	75
PX2066615	1200	100	75
PX2066622	1200	100	75
PX2066629	1500	100	75
PX2066636	1500	100	75
PX2066643	1500	100	75
PX2066650	1500	100	75
PX2066657	1200	100	75
PX2066664	1200	100	75
PX2066671	1200	100	75
PX2066678	1200	100	75
PX2066685	1500	100	75
PX2066692	1500	100	75
PX2066699	1500	100	75
PX2066706	1500	100	75

L = Length | W = Width | H = Height / Depth

ACCESSORIES

Electric elements



Electrical suspension

Structural elements

Poker LS LED End cap

Connecting elements

Poker LS LED Invisible linear joint

Installation elements

Hitch for simple suspension



Simple suspension

Installation elements



Poker LS LED/LS New "S" joint

Poker LS LED Chain hitch



Poker LS LED/LS New Chain 1m
