



## Poker LS II



Industrial lighting line. The line includes 5-wire 16A cabling with fast-linkage system. Additional sling tracks are not required.

**Materials:** powder painted aluminum housing and reflector (standard color: white)

**Installation:** suspended

**Accessories:** linear connector

**Power:** 230 V

### ELECTRICAL DATA

Type of equipment	EVG
Voltage rating	230 V

### MECHANICAL DATA

Type of installation	Suspended
Housing material	Steel sheet

### INFROMATIONS

Color	White
-------	-------

### CERTIFICATES

Degree of protection (IP)	IP20
Class of protection	I
Energy class	A
CE	Yes
CNBOP	Yes

### LIGHT DATA


Light distribution	DI
--------------------	----

### MATERIALS

Product code	Light source	Lamp holder	Light source power [W]	Info	Weight [kg]
PX1920300	T5	G5	1×28	-	3.0
PX1920305	T5	G5	1×54	-	3.0
PX1920310	T5	G5	1×35	-	3.5
PX1920315	T5	G5	1×49	-	3.5
PX1920320	T5	G5	1×80	-	3.5
PX1920325	T5	G5	2×28	-	3.1
PX1920330	T5	G5	2×54	-	3.1
PX1920335	T5	G5	2×35	-	3.6
PX1920340	T5	G5	2×49	-	3.6
PX1920345	T5	G5	2×80	-	3.6
PX1920350	T5	G5	2×28	2x1	6.0
PX1920355	T5	G5	2×54	2x1	6.0
PX1920360	T5	G5	2×35	2x1	7.0
PX1920365	T5	G5	2×49	2x1x	7.0
PX1920370	T5	G5	2×80	2x1	7.0
PX1920375	T5	G5	4×28	2x2	6.2
PX1920380	T5	G5	4×54	2x2	6.2
PX1920385	T5	G5	4×35	2x2	7.2
PX1920390	T5	G5	4×49	2x2	7.2

Product code	Light source	Lamp holder	Light source power [W]	Info	Weight [kg]
PX1920395	T5	G5	4×80	2x2	7.2
PX1920140	T8	G13	1×36	-	3.0
PX1920145	T8	G13	1×58	-	3.5
PX1920150	T8	G13	2×36	-	3.1
PX1920155	T8	G13	2×58	-	3.6
PX1920160	T8	G13	2×36	2x1	6.0
PX1920165	T8	G13	2×58	2x1	7.0
PX1920170	T8	G13	4×36	2x2	6.2
PX1920175	T8	G13	4×58	2x2	7.2

## DIMENSIONS



Product code	L [mm]	W [mm]	H [mm]
PX1920300	1174	176	85
PX1920305	1174	176	85
PX1920310	1474	176	85
PX1920315	1474	176	85
PX1920320	1474	176	85
PX1920325	1174	176	85
PX1920330	1174	176	85
PX1920335	1474	176	85
PX1920340	1474	176	85
PX1920345	1474	176	85
PX1920350	2348	176	85
PX1920355	2348	176	85
PX1920360	2948	176	85
PX1920365	2948	176	85
PX1920370	2948	176	85
PX1920375	2348	176	85
PX1920380	2348	176	85
PX1920385	2948	176	85
PX1920390	2948	176	85
PX1920395	2948	176	85
PX1920140	1229	176	85
PX1920145	1529	176	85
PX1920150	1229	176	85
PX1920155	1529	176	85
PX1920160	2458	176	85
PX1920165	3058	176	85
PX1920170	2458	176	85
PX1920175	3058	176	85

L = Length | W = Width | H = Height / Depth

## ACCESSORIES

## Structural elements



Poker LS II Luminaries connection masking coverSet (2 pcs)

---



Poker LS II Upper masking cover 1x,2x26/28/54W

---



Poker LS II End cap

---

## Connecting elements



Poker LS II Linear joint

---

## Installation elements



Poker LS II Chain 1,

---



Poker LS II "S" joint

---